

Application Data Sheet

The first step in recommending CHEVRON® products is to determine as much as possible about the operating of the equipment, the stuffing box dimensions, environmental conditions, what product(s) have been used before and any related problems.

The data sheet below is provided to help simplify this process.

Equipment Type

Cylinder _____ Press _____ Pump* _____

Other (explain) _____

Manufacturer _____ Model No. _____

Stuffing Box Data

Shaft, Rod, Ram or Plunger Dia. _____

Stuffing Box Bore _____

Depth of Box _____

Gland, Adjustable Nonadjustable

Maximum Gland Entry _____

Operating Conditions

Fluid Type _____

Manufacturer's No. _____


Pressure: _____ Min. _____ Max.

Temperature: _____ Min. _____ Max.

Motion: Reciprocating _____

Length of Stroke _____

Cycles/min. _____



To aid in selecting the proper CHEVRON® packing, please refer to the following pages where information on product compatibility, stack height, pressure ranges and clearances is available.

If factory assistance is required, copy the data sheet section above, fill in the blanks and fax or mail it directly to Garlock Hydraulic Components, fax 866.636.4275.

For other than reciprocating equipment (i.e. rotary, oscillating), contact Garlock for recommendations.

* See page E-10 for more detailed information on reciprocating equipment.